IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Hendrik Willem MEIJER, et al.

Serial No.: 10/712,778

Group No.: 3637

Filed: November 13, 2003

Examiner: Phi D A

CONNECTION FOR WALL ELEMENTS

For:

Attorney Docket No.: Commissioner for Patents

P. O. Box 1450

Alexandria, VA 22313-1450

ATTENTION:

Shanda Ross

Technical Center 3600

U 014884-0

SECOND RENEWED REQUEST FOR REFUND

Deposit account 12-0425 was charged \$450.00 November 14, 2006 (control number 1) for a two month extension fee (fee code 1252), but a Response was timely filed July 5, 2006, as was a Request for Supervisory Authority under 35 USC 1.181) of July 24, 2006. Renewal October 26, 2006, of the previously timely filed Request in the absence of reply from the Patent Office does not require extension but, instead, reply from the Patent Office to the original Request, which is STILL awaited.

CERTIFICATE OF MAILING/TRANSMISSION (37 CFR 1.8a)

I hereby certify that this correspondence is, on the date shown below, being:

MAILING

- deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to the Commissioner for Patents, P. O. Box 1450, Alexandria, VA 22313-1450
- Date: December 17, 2008

FACSIMILE

☐ transmitted by facsimile to the Patent and Trademark Office to (571) 273-8300

☐ transmitted electronical/

Signature

John Richards (type or print name of person certifying) Therefore, the denial of refund February 22, 2008, should be reversed or, at least, explained.

The application then became abandoned August 22, 2006, and a request for withdrawal of the abandonment was filed October 24, 2006, without extension fee or its authorization. If an extension fee had been paid in October, the application would not have been abandoned for the request to withdraw.

Therefore, refund to deposit account 12-0425 of \$450.00 is requested.

Respectf

John Richards c/o Ladas & Parry LLP

26 West 61" Street New York, New York 10023

Reg. No. 31053

Tel. No. (212) 708-1915